



LIVE FISH TRANSPORTATION



GENERAL / TECHNICAL SPECIFICATIONS

- 1) For long distance live fish transportation.
- 2) Container made of fiberglass-reinforced polyester with a plywood for increased impact strength and pur core for thermal insulation.
- 3) All fittings made of stainless steel.
- 4) Designed for truck & trailer installation can be fixed to vehicle with mounting plates. Piping system suitable for aeration with oxygen tanks during transport.
- 5) Tank lid designed according to animal disease protection act,
- 6) Perforated tank lid does not need aeration with oxygen tanks in short distance transports. Tank drainage including filter and valve.
- 7) Sliding gate valve and hopper system for fish unloading.









LIVE FISH TRANSPORTATION

| LIVE FISH TRANSPORTATION TANKS CODE & DIMENSIONS | | | | |
|--|----------|-------------------------------|------------------------|---------------|
| INSULATED SHIPPING CONTAINERS | CODE | DIMENSIONS (LXWXH) (mm) | EMPTY WEIGHT (KG) | VOLUME (L) |
| INSULATED SHIPPING CONTAINERS 500 | CBT 500 | 1400 X 750 X 650 | 113 | 500 |
| INSULATED SHIPPING CONTAINERS 800 | CBT 800 | 1400 X 820 X 900 | 145 | 800 |
| INSULATED SHIPPING CONTAINERS 1100 | CBT 1100 | 1400 X 1100 X 900 | 174 | 1100 |












LIVE FISH TRANSPORTATION

GATE VALVE

TANK LID

DRAINAGE VALVE

We have been manufacturing custom transport tanks for almost 21 years!



Please give us a call with your specifications.

+90-312-4480971 info@akuamaks.com





